

Sun, 6 Jan 2008, 11:24:25 PM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

Results

#1	((redundant or redundancy and memory and test)<in>metadata)	7726
#2	((redundant or redundancy and memory and test)<in>metadata)	7726
#3	(((redundant or redundancy and memory and test) <in>metadata)<AND>(((removed or isolated) and memory) <in>metadata))	33
#4	(((redundant or redundancy and memory and test) <in>metadata)<AND>(((removed or isolated) and memory) <in>metadata))	33
#5	(memory and (module or stick or cartridge) and (redundancy or redundant or mirror))	9107
#6	(memory and (module or stick or cartridge) and (redundancy or redundant or mirror))	9107
#7	((memory and (module or stick or cartridge) and (redundancy or redundant or mirror)))	9107
#8	(((memory and (module or stick or cartridge) and (redundancy or redundant or mirror)))<AND>((test or verifying or check) <in>metadata))	1822
#9	(((memory and (module or stick or cartridge) and (redundancy or redundant or mirror)))<and>((test or verifying or check) <in>metadata))<AND>(((management interrupt) or smi) <in>metadata))	0
#10	(((memory and (module or stick or cartridge) and (redundancy or redundant or mirror)))<and>((test or verifying or check) <in>metadata))<AND>(((interrupt) or smi and routine) <in>metadata))	12

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	126	memory near (hot near (plug\$4 or swap\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/06 19:04
L3	86	memory near (hot near plug)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/06 19:04
L4	9048	memory same (isolat\$3 or remov\$3) same test\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/06 19:05
L5	772	L4 and (memory adj module\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/06 19:05
L6	8699	(system near management near interrupt) or SMI	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/06 19:05
L7	262	L6 and (memory near map)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/06 19:05
L8	92	L7 and (memory near test\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/06 19:05
L11	64	L2 and test\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/06 19:06

EAST Search History

L12	12	(US-20050135176-\$ or US-20010044917-\$ or US-20010039632-\$ or US-20020010875-\$ or US-20030079073-\$ or US-20030101314-\$ or US-20020053010-\$ or US-20020042893-\$ or US-20030005200-\$ or US-20020194530-\$ or US-20010029592-\$ or US-20020016942-\$ or US-20020010835-\$).did. or (US-6453398-\$ or US-6965527-\$ or US-5764655-\$ or US-6108798-\$ or US-6854070-\$ or US-6845472-\$ or US-5706407-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/01/06 19:06
L13	5	L12 and "SMI"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/06 19:06
L14	262	L6 and (memory near map)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/06 19:06
L15	462	memory near (self near test)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/06 19:07
L16	215	L5 and (memory near controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/06 19:07
L17	71	L16 and (("no" or "without" or "lossless") near data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/06 19:07

EAST Search History

L18	19	L10 and region	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/06 19:07
L19	3	L10 and (address with range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/06 19:08
L20	184	((memory near (module\$2 or cartridge\$2)) same (hot adj (swap\$4 or plug\$4 or replac\$4 or remov\$4) or (hotswap\$4 or hotplug\$4 or hotreplac\$4 or hotremov\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 19:08
L21	45	(processor or CPU or microprocessor or host) same ((operating near system) or OS) same memory same (mirror\$3 or redundan\$3) and (memory near (module or stick or hub) same(test\$3 or verif\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 19:11
L22	3	((system near management near interrupt) or (SMI)) same (isolat\$3 or removed) near memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 19:12

Inference

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	43	((processor or cpu or microprocessor or micro-processor or host) same (redundan\$3 or mirror\$3 or duplicat\$3 or backup\$3) same (memory near (module or cartridge))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/06 21:58
L4	0	((remov\$3 or isolat\$3) same (memory near (module or slot or cartridge or stick)) same (interrupt\$2) same (I/O or (input near output))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/06 21:55
L5	16	((memory near (module or cartridge or stick or slot or hub)) same (hot adj (swap\$4 or plug\$4 or replac\$4 or remov\$3) or (hotswap\$4 or hotplug\$4 or hotreplac\$4 or hotremov\$4))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/06 22:00
L6	19817	((test\$3 or verify\$3) same memory).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/06 22:01
L7	6	I6 and I3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/06 22:01